



Resistograph meets tomograph

Robert Mařík & Valentino Cristini
Mendel University in Brno

Oscillation and nonoscillation criteria for half-linear differential equations

Exploring “terra incognita”
and the hunt for better oscillation constants

Robert Mařík

Mendel University in Brno
Czech Republic


Kyoto, November 4, 2014





Content of the talk

- Resistograph and tomograph: strengths and limitations
- Combined approach: a Python library to merge data from both devices
- Vibe coding in 2025 (ChatGPT)
- Code sharing in 2025 (Docker)




Tomograph


- fast and reliable tool for stem inspection
- global information from the whole cross section
- shows the size and shape of the internal defects
- cracks are reported as cavities

Resistograph

- scans the power required to microdrilling at given speed
- measures mechanical properties of the material
- local information




Resistograph Data Visualization in 2D plane



Merge data I

- Transform resistograph data to 2D geometry of the cross section
- Visualize the data in the new geometry



Merge data II


- merge resistograph data with tomograph data
- visualize the merged data
- look for short or long decreases in resistograph data. This indicates cracks and cavities, respectively

When resistograph meets tomograph

The demo of overlays of four images. See [the repository](#) for the code.

- Tomogram
- Tomogram with resistograph data
- Section photo
- Section photo with resistograph data

You can move the mouse over the image to reveal the other layers or click the image to switch layers.



Python library

- language widely used in scientific data processing
- many libraries for data processing and visualization
- easy to automate, scale, modify, share and reuse
- easy to integrate with other tools


```


4 # See LICENSE file or https://creativecommons.org/licenses/by/4.0/
  Run Cell | Run Below | Debug Cell
5 """
6
7 This script visualizes resistograph data on a tomogram.
8 It processes resistograph data files and node coordinates to generate a plot
9 with resistograph data overlaid on a tomographic representation.
10
11 Configuration and validation are handled via Pydantic models.
12 """
  Run Cell | Run Above | Debug Cell
13 """
14 import pandas as pd
15 import numpy as np
16 import matplotlib.pyplot as plt
17 import glob
18 from scipy.signal import savgol filter
19 import logging
20 from matplotlib.collections import LineCollection
21 from matplotlib.transforms import Affine2D
22
23 # --- NEW: importy pro konfiguraci ---
24 from pydantic import BaseModel, Field, PositiveInt, DirectoryPath, model_validator
25 from typing import List, Optional
26
27 # Logging configuration
28 logging.basicConfig(level=logging.WARNING, format='%(levelname)s - %(message)s')
29
30 # --- NEW: Pydantic models for configuration ---
31 class FilterSettings(BaseModel):
32     window_length: PositiveInt = Field(201, description="Window length for Savitzky-Golay filter")
33     polyorder: int = Field(3, description="Polynomial order for filter")
34     upper_limit: int = Field(250, description="Maximum depth in mm")
35
36     @model_validator(mode="after")
37     def check_polyorder_vs_window(self):
38         if self.polyorder >= self.window_length:
39             raise ValueError("polyorder must be smaller than window_length")
40         return self
41
42
43 class PlotSettings(BaseModel):
44     min: int = Field(100, description="Minimum value for color normalization")
45     max: int = Field(200, description="Maximum value for color normalization")
46     step: int = Field(200, description="Step for downsampling")
47     linewidth: int = Field(20, description="Line width")
48     cmap: str = Field("gray", description="Matplotlib colormap")
49
50     @model_validator(mode="after")

```

Python library


Limitations

- requires programming skills
- requires installation of Python, Python IDE and libraries
- no GUI



Streamlit

- library for building web apps
- requires minimal code
- interactive widgets for user input
- real-time updates
- widely used in data science and machine learning, in industry and academia



Vibe coding


- ChatGPT 5 on August 2025
- web app in two prompts

Mam nasledujici knihovnu. Napis streamlit program, který umožni nahrát zazipovaný adresar s daty a spusti na nem prikazy odpovídající main funkci. Vystup se zobrazí.

OK. V levém panelu chci mít možnost menit přednastavené volby.


```
compose.yml > ...
1  services:
    > Run Service
2  resisto:
3      network_mode: bridge
4      working_dir: /app/app
5      ports:
6          - 8501:8501
7      image: resisto:latest
8      build: .
```

```
Dockerfile 1 X
Dockerfile > ...
1  # This sets up the container with Python 3.10 installed.
2  FROM python:3.10-slim (last pushed 3 weeks ago)
3
4  WORKDIR /app
5  COPY requirements.txt ./
6  RUN pip install --no-cache-dir -r requirements.txt
7
8  COPY . .
9
10 # This tells Docker to listen on port 80 at runtime. Port 80 is the standard port for HTTP.
11 EXPOSE 80
12
13 # This command creates a .streamlit directory in the home directory of the container.
14 RUN mkdir ~/.streamlit
15
16 # This copies your Streamlit configuration file into the .streamlit directory you just created.
17 RUN cp config.toml ~/.streamlit/config.toml
18
19 # This sets the default command for the container to run the app with Streamlit.
20 ENTRYPOINT ["streamlit", "run"]
21
22 # This command tells Streamlit to run your app when the container starts.
23 CMD ["app.py"]
```



Docker

A containerization platform

- packages application and its dependencies into a container
- ensures consistency across different environments
- easy to share and deploy
- widely used in industry, academia, research

```

1  services:
    > Run Service
2  resisto:
3      network_mode: bridge
4      working_dir: /app/app
5      ports:
6          - 8501:8501
7      image: resisto:latest
8      build: .

```


Dockerfile 1 X

Dockerfile > ...

```






1  # This sets up the container with Python 3.10 installed.
2  FROM python:3.10-slim (last pushed 3 weeks ago)
3
4  WORKDIR /app
5  COPY requirements.txt ./
6  RUN pip install --no-cache-dir -r requirements.txt
7
8  COPY . .
9
10 # This tells Docker to listen on port 80 at runtime. Port 80 is the standard port for HTTP.
11 EXPOSE 80
12
13 # This command creates a .streamlit directory in the home directory of the container.
14 RUN mkdir ~/.streamlit
15
16 # This copies your Streamlit configuration file into the .streamlit directory you just created.
17 RUN cp config.toml ~/.streamlit/config.toml
18
19 # This sets the default command for the container to run the app with Streamlit.
20 ENTRYPOINT ["streamlit", "run"]
21
22 # This command tells Streamlit to run your app when the container starts.
23 CMD ["app.py"]


```



Run dockerized app

docker compose up

-  No Python install
-  No dependency issues
-  Works on Win / Mac / Linux
-  Just clone repo with
Dockerfile and docker-
compose.yml
-  First run = minutes, later =
ms



Summary

- Resistograph and tomograph are complementary tools for tree stem inspection
- A Python library was developed to simplify data merging and visualization
- GUI for Python is possible with Streamlit
- Installation can be made simple and repeatable with Docker