


**Washbasin undersurface ground
81696.4**




TECHNICAL DATA

Order no.	81696.4	Weight	17,5 kg
Certified to	EN 31	Mounting acc. incl.	Template, order no. 89996.3 Fixing set, order no. 89194.0
Dimensions	650 x 465 mm	Mounting acc. excl.	Mounting set M10 x 140 mm, order no. 89988.2
Inside dimensions of the basin	600 x 310 mm	Colours	see colour table
Specification	SPECIFICATION TEXT Washbasin undersurface ground LAUFEN PRO S, sanitary ceramic EN 31, dimensions 650 x 465 mm, angular 1 centre tap hole Special feature: overflow channel glazed Further options / accessories: Surface refinement LCC (only white), 3 tap holes, without tap holes, 1 tap hole without overflow, without tap holes and overflow, 3 tap holes distance 8 inches, without tap holes/ overflow and open drain, 1 tap hole/without overflow and open drain, 3 tap holes without overflow, bathtubs, furniture Order no. 81696.4		
Special specification	Charge 104 – 1 centre tap hole Charge 108 – 3 tap holes Charge 109 – without tap hole Charge 111 – 1 centre tap hole, without overflow Charge 112 – without tap holes, without overflow Charge 136 – 3 tap holes, distance 8 inches Charge 142 – without tap hole, without overflow and without open drain Charge 156 – 1 centre tap hole, without overflow and without open drain Charge 158 – 3 tap holes, without overflow		


TECHNICAL DRAWINGS / S 1 : 20



LAVFEN PRO S



LAUFEN PROS



3

LAUFEN PRO S

